90-126

CITY OF HAILEY FLOODPLAIN DEVELOPMENT PERMIT Roth Name of Applicant Date Name of Project if applicable Address 2623 Kete Phone Location of Proposed Development Subdivision Lot Block Plat Description of Development MANKIN Residential Construction Non-Residential New Construction On Single Lot Excavation Subdivision Addition or Improvements Fill Grading Watercourse Alteration Other Attach to the application the following information where applicable. Plans in duplicate, drawn to scale showing the nature, dimensions, and elevations of the area in question; existing or proposed structures, fill, storage of materials, drainage facilities; and the location of the foregoing. Specifically, the following information is required: (1) Mean sea level (MSL) elevation of the lowest floor (including basement) of all structures; (2) MSL elevation to which any structure is floodproofed; (3) certification by a registered professional engineer that the floodproofing methods meet the community floodproofing criteria; (4) a description of the extent to which any watercourse will be altered or relocated, and (5) base (100-year) flood elevation data for a development or subdivision. The proposed development is located in the Floodway Floodfringe The Base Flood Elevation or depth number at the development site is: FEMA 1921 Source Documents Plan Review MSL Elevation or depth number to which the structure is to be elevated 5278° MSL Elevation or depth number to whith the structure is to be f ft. SIGNATURE. (SEAL) NAME ~g/ree~ TITLE H>'C (P.O. 478 **ADDRESS** DATE The following is to be completed by the community permit official All necessary information and certificates are attached. Action The proposed development is not in conformance with applicable Floodplain Management Standards (explanation attached). Permit is denied. The proposal is not in conformance with applicable Floodplain Management Standards (explanation attached) and the application is referred to the Board of Adjustment for variance action. I have reviewed the plans and materials submitted in support of the proposed development and find them in compliance with applicable Floodplain Management Standards. Permit is approved. JULY Date Building construction documentation The certified as-built MSL elevation of the lowest floor of the structure is 5378 The certified as-built MSL floodproofed elevation of the structure is Certificates of a registered professional engineer or land surveyor documenting these elevation are attached.

Certificate of Occupancy or Compliance Issued 3

CITY OF HAILEY

FLOODPLAIN ELEVATION/FLOOD-PROOFING CERTIFICATION
This Certification must be signed and sealed by a registered professional engineer or company

1st Survey:							
I hereby certify that the bench mark set on property identified as							
T. S. R. W. W.M., Section , Tax Lot							
is at an elevation offeet, NGVD (Mean Sea Level)							
Subdivision Della View							
Lot 9 Block 9 Plat							
Describe bench mark and its location:							
Spike in Cottonwood tree at in							
(Build) @ SE boundary sold Lot.							
(Build) @ SE boundary sold Lot. Bet @ 1º about 100-year Flood 52789							
SIGNATURE SEAL NAME Bruce Batton SEAL ON THE SEAL SEAL SEAL ON THE SEAL SEAL SEAL ON THE SEAL SEAL SEAL SEAL ON THE SEAL SEAL SEAL SEAL SEAL ON THE SEAL SEAL S							
NAME Bruce Butter Shilands.							
TITLE SOCIETER							
ADDRESS PO 478 Hole 907							
DATE 9-10-90							


This certification must be filed with the Hailey Building Department at the time of building permit application.

CITY OF HAILEY

POST CONSTRUCTION ELEVATION CERTIFICATE

Community No. 160022

	2nd. Survey: IMPORTANT
	This form must be completed and returned to the City of Hailey
	Building Department prior to obtaining a framing inspection
	SECTION I
	The elevation certification must be completed by a registered professional
	engineer.
	Property Description: Subdivision Della () 10 4 Jot 9 Block 9 Plat
	buodivision_pg \\ is of the second sec
	FIA Map Panel on which property is located <u># 0022 0001 C</u> FIA Map Zone in which property is located <u>A 3</u>
•	Base Flood Elevation at the proposed site 5277
	Required minimum elevation of lowest floor 5278 =
	NAME DATE
	ELEVATION CERTIFICATION
	I certify that the building at the property location described above has the
	lowest floor at an elevation of 5778 - feet, NGBD (Mean Seal Level).
	CERTIFIER'S NAME Bruce T Putar AFFIX SEAL OR STAMP
	TITLE PE PLS.
	ADDRESS P.O. 4/79 Hailar
	SIGNATURE
	SOUTH SEATON SOUTH SEATON SEAT
	DATE 907
	TOF 10 TO THE STATE OF THE ST
	WAYOR BO



O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME TERAU BOTH					POLICY NUMBER
TERRY KO STREET AOORESS (Including Ap 1251 SNO	COMPANY NAIC NUMBER				
OTHER DESCRIPTION (Lot and I					
	10CK 7			STATE	ZIP CODE
HAILEY				<i>I</i> D	<u> </u>
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	BASE FLOOD ELEVATION (in AO Zones, use depth)
160022	0001	C .	4/17/78	A-3	5277
	no BFE is provided of	n the FIRM, an	nd the community has est	ablished a BFE	Other (describe on back) or this building site, Indicate
	SECTI	ON C BUILDI	NG ELEVATION INFORM	ATION	
of 1.52.7181. () fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in acco	at NGVD (or other FIF VE, and V (with BFE) is at an elevation of BFE). The floor use the highest grade at floor used as the reference adjacent to the build ordance with the computum system used in orge 2). (NOTE: If the B, Item 7), then converts on Page 2.)	AM datum—see The bottom of th	Section B, Item 7). of the lowest horizontal st feet NGVD (or other FIF noe level from the selecte ouilding. In the selected diagram is didepth number is availab lain management ordinar above reference level ali mused in measuring the lans to the datum system u	ructural member AM datum-see S d diagram is le, is the building ace? Yes evations: NG elevations is diff ased on the FIRM	above or below (check g's lowest floor (reference) No Unknown
5. The reference level elev (NOTE: Use of construc case this certificate will o will be required once cor	ation is based on: tion drawings is only only be valid for the bo struction is complete	actual constrivation of the build if the building during the construction of the const	uction Construction of construction of construction of construction.	rawings e reference leve A post-constru	el floor in place, in which clion Elevation Certificate
The elevation of the low Section B, Item 7).	est grade immediatel	y adjacent to th	ne building is: !	i.∐ feet NGV0) (or other FIRM datum-see
	S	ECTION D C	OMMUNITY INFORMATI	ON	•
is not the "lowest floor" a	as defined in the comordinance is:	munity's floodp	ilain management_ordinar NGVD (or other FIRM da	nce, the elevatio	indicated in Section C, Item 1 n of the building's "lowest n B, Item 7}.
FFMA Form 81-31, MAY 90		REPLAC	ES ALL PREVIOUS EDITIONS	SE	E REVERSE SIDE FOR CONTINUATI

PUBLIC INFORMATION


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-II the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections 8 and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)				
LOU MALLEA					
	COMPANY NAME				
BuiLDING OFFICIAL	CITY OF HAILEY				
ADDRESS	CITY STATE ZIP				
P.O. BOX 945	HAICEY -D 83333				
SIGNATURE MOPLE	38 AUG 91 208 788 4221				
Copies should be made of this Certificate for: 1)	community official, 2) insurance agent/company, and 3) building owner.				
COMMENTS:					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.