CITY OF HAILEY

FLOODPLAIN DEVELOPMENT PERMIT
Name of Applicant Steve Highight Date 1-19-94 Name of Project if applicable
Address P.O. 2705 Ketchan, Phone
Location of Proposed Development Subdivision Soth de Lot 2 Plat 3
Description of Development
Residential Construction On Single Lot Addition or Improvements Watercourse Alteration Other Non-Residential Subdivision Fill Fill Rew Construction Excavation Grading
Attach to the application the following information where applicable. Plans in duplicate, drawn to scale showing the nature, dimensions, and elevations of the area in question; existing or proposed structures, fill, storage of materials, drainage facilities; and the location of the foregoing. Specifically, the following information is required: (1) Mean sea level (MSL) elevation of the lowest floor (including basement) of all structures; (2) MSL elevation to which any structure is floodproofed; (3) certification by a registered professional engineer that the floodproofing methods meet the community floodproofing criteria; (4) a description of the extent to which any watercourse will be altered or relocated, and (5) base (100-year) flood elevation data for a development or subdivision.
The proposed development is located in the Floodway Floodfringe The Base Flood Elevation or depth number at the development site is:
Source Documents FEMA
Plan Review MSL Elevation or depth number to which the structure is to be elevated 107 ft. MSL Elevation or depth number to whith the structure is to be floodproofed ft. SIGNATURE NAME TITLE Survey ADDRESS PO 478 8333 DATE DATE
The following is to be completed by the committy permit official Artor But
The following is to be completed by the community permit official Management Standards (explanation attached). Action The proposed development is not in conformance with applicable Floodplain Management Standards (explanation attached). Permit is denied.
The proposal is not in conformance with applicable Floodplain Management Standards (explanation attached) and the application is referred to the Board of Adjustment for variance action.
I have reviewed the plans and materials submitted in support of the proposed development and find them in compliance with applicable Floodplain Management Standards. Permit is approved.
Date Signature
Building construction documentation
The certified as-built MSL elevation of the lowest floor of the structure is ft. The certified as-built MSL floodproofed elevation of the structure is ft. Certificates of a registered professional engineer or land surveyor documenting
these elevation are attached. Certificate of Occupancy or Compliance Issued 1250094 Jones Jolean

CITY OF HAILEY

FLOODPLAIN ELEVATION/FLOOD-PROOFING CERTIFICATRION

This Certification must be signed and sealed by a registered professional engineer.

<u>1st survey</u>
I hereby certify that the bench mark set on property identified as
T S.R W.W.M. Section Tax Lot
is at an elevation of 100° feet, NGBD (Mean Sea Level) Subdivision NORTHRIDGE
Lot 7 Block 11 Plat 3
Properties bouch mark and its location. Top 1/7" Repay
@ NE corner of lot 2 BKII
@ NE corner of Lot Z BKII Elev. 100° Assumed
SIGNATURE NAME Pruce Butler TITLE Survey or ADDRESS DATE 1-19-94
This certification must be filed with the Hailey Building Department at the time of building permit application.
Bench Mark Eleo. = 100°
Flood Eleu, = 101-
Min Finish Floor Elev. = 102°

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A DEC	DEBTY INEV	PMATION		FOR INSURANCE COMPANY USE
SECTION A PROPERTY INFORMATION					POLICY NUMBER
BUILDING OWNER'S NAME Steven Highlight					
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)	11 10	arthridge ?	Subd. #	3
Hailen	<u></u>	<u></u>	Iq	a he siale	83333
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	the proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER OLOLO	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
8. For Zones A or V, where	: no BFE is provided o	n the FIRM, an	ase Flood Elevations (BFF and the community has est FIRM datum-see Section	ablished a BFE 1	Other (describe on back) for this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION	<u>'</u>
 (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below ☐ (check one) (d). FIRM Zone AO. The one) the highest graded level) elevated in accordance of the FIRM [see Section equation under Comments on Pathe FIRM [see Section equation under Comments] 4. Elevation reference mainstructures. The reference level elevation of the construction of the con	is at an elevation of Lat BFE). The floor used as the reference adjacent to the build ordance with the compatum system used in cage 2). (NOTE: If the part of the	d as the reference level from the bottom of the elevation datured the elevation of the bottom of the	of the lowest horizontal stage of the lowest horizontal stage of the NGVD (or other FIF) and level from the selected diagram is a depth number is available and management ordinant above reference level elem used in measuring the level to the datum system used to the system used to the datum system used to the datum system used to the system system used to the system system used to the system	AM datum-see S d diagram is let is the building ce? Yes evations: NG elevations is diffe sed on the FIRM on Page 4) rawings e reference leve	above or below (check g's lowest floor (reference No Other (describe erent than that used on and show the conversion
will be required once co	nstruction is complete	.)			or other FIRM datum-see
		PECTION D. C	OMMINITY INFORMATI	ON	
			OMMUNITY INFORMATI		indicated in Costina C. North
is not the flowart floor!	as defined in the come ordinance is:	munity's floodp	olain management ordinar NGVD (or other FIRM dat	ice, the elevation um–see Section	indicated in Section C, Item 1 of the building's "lowest B, Item 7).

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	OF OTION A DD	DEDTY WEA	DMATION		FOR MICHIPANIC COMPANY LICE		
	Steven	JPER IT INFO	HMATION		FOR INSURANCE COMPANY USE POLICY NUMBER		
BUILDING OWNER'S NAME	•						
STREET ADDRESS (Including Ap		COMPANY NAIC NUMBER					
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)	11 10	orthridge s				
Hailen			Iq	a hastate	S3333		
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION							
Provide the following from t	he proper FIRM (See	Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: 10 P feet NGVD (or other FIRM datum—see Section B, Item 7).							
	SECTI	ON C BUILDI	NG ELEVATION INFORM	TATION	1		
 (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in accordance of the FIRM [see Section equation under Comments on Pattern Inc. 4. Elevation reference mainty of the FIRM (see Section equation under Comments on Pattern Inc. 5. The reference level elevation of the FIRM (see Section equation under Comments on Pattern Inc. 6. The reference level elevation of the pattern inc. 	is at an elevation of the BFE). The floor used as the reference adjacent to the build ordance with the compatum system used in the B, Item 7], then converts on Page 2.) The used appears on Flooring drawings is only action of the page 2.	d as the reference level from the best of	of the lowest horizontal state of the NGVD (or other FIF nee level from the selected building. In the selected diagram is a depth number is available lain management ordinant above reference level elements to the datum system used in measuring the elements to the datum system used in Constructions of the datum does not yet have does not yet have does not yet have	and datum—see S d diagram is le, is the building ce? Yes evations: NG elevations is diffe sed on the FIRM on Page 4) rawings e reference leve	Above or below (check g's lowest floor (reference No Unknown VD '29 Other (describe erent than that used on and show the conversion		
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 6. The elevation of the lowest grade immediately adjacent to the building is:							
Section B, Item 7).							
SECTION D COMMUNITY INFORMATION							
is not the "lowest floor"	as defined in the comordinance is:	ımunity's floodp └── feet	evations specifies that the plain management ordinant NGVD (or other FIRM dat	ice, the elevation um-see Section	ndicated in Section C, Item 1 n of the building's *lowest B, Item 7).		

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 1800 Context Section 1001.

LICENSE NUMBER CERTIFIER'S NAME BRUCE BUTLER COMPANY NAME TITLE SAWTOOTH ENGINEERING SURVEYOR STATE ZIP CITY ADDRESS 83333 ID HAILEY PO BOX 478 PHONE (208) 788-9060 SIGNATURE

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: Assumed Elewstion



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.