

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules. Instructions for completing this form can be found on the reverse side.

BUILDING OWNER'S NAME Jim Greenwood POLICY NUMBER Minor 90-7

STREET ADDRESS 1840 Northridge Dr.

Apt./Unit-U Suite-S/Bldg.-B _____ NO. _____ ROUTE _____ BOX NUMBER _____

OTHER DESCRIPTION (Block and lot numbers., etc.) Lot 5 Blocks Northridge Sub.

CITY Hayley STATE Ida ZIP CODE 83333

This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form.

SECTION I BUILDING ELEVATION INFORMATION

- Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number _____
 - FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 100.54 feet NGVD. (or other datum—see #5) 100.54
 - FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of _____ feet NGVD (or other datum—see #5).
 - FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's floodplain management ordinances? Yes No Unknown
 - Indicate the elevation datum system used in determining the above reference level elevations: NGVD Other (describe on back)
 - Indicate the elevation datum system used on the FIRM for base flood elevations: NGVD Other (describe on back)
- (ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.)
7. Is the reference level based on actual construction? Yes No*
- * A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage.
8. Provide the following measurements using the natural grade next to the building (round to the nearest foot).
- a. The reference level is: 100.54 feet above below (check one) the highest grade. feet above below (check one) the lowest grade.
- b. The garage floor (if applicable) is: feet above below (check one) the highest grade. feet above below (check one) the lowest grade.

SECTION II FLOOD INSURANCE RATE MAP INFORMATION

Provide the following from the proper FIRM (see Instructions on back—Date of FIRM) and accompanying insurance application:

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	BASE FLOOD ELEV. (In AO Zone, use depth)	COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A OR ZONE V, IF AVAILABLE
<u>165167</u>	<u>0662</u>	<u>A</u>	<u>1981</u>	<u>A</u>		<u>99.3</u>

Elevation reference mark used appears on FIRM Yes No (See reverse side for details)

SECTION III CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative can sign the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Bruce T. Butler LICENSE NUMBER (or Affix Seal) LS 907

TITLE Surveyor COMPANY NAME Sawtooth Engineering

ADDRESS P.O. 478 CITY Hayley STATE Ida ZIP 83333

SIGNATURE [Signature] DATE 3-30-92 PHONE 788-9060

The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder.

1. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form.

PUBLIC INFORMATION

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available.
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

CERTIFIER'S NAME		LICENSE NUMBER (or Affix Seal)	
TITLE		COMPANY NAME	
ADDRESS	CITY	STATE	ZIP
SIGNATURE	DATE	PHONE	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: _____



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.
Elevations for all A Zones should be measured at the top of the reference level floor.
Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

CITY OF HAILEY

FLOODPLAIN DEVELOPMENT PERMIT

Name of Applicant Brad Minor Date 2-26-90
Name of Project if applicable
Address PO Box 28 Phone 788-3349
Location of Proposed Development Subdivision Northridge Lot 5
Block 5 Plat

Description of Development

- Residential Construction
On Single Lot
Addition or Improvements
Watercourse Alteration
Other
Non-Residential
Subdivision
Fill
New Construction
Excavation
Grading

Attach to the application the following information where applicable. Plans in duplicate, drawn to scale showing the nature, dimensions, and elevations of the area in question; existing or proposed structures, fill, storage of materials, drainage facilities; and the location of the foregoing. Specifically, the following information is required: (1) Mean sea level (MSL) elevation of the lowest floor (including basement) of all structures; (2) MSL elevation to which any structure is floodproofed; (3) certification by a registered professional engineer that the floodproofing methods meet the community floodproofing criteria; (4) a description of the extent to which any watercourse will be altered or relocated, and (5) base (100-year) flood elevation data for a development or subdivision.

The proposed development is located in the Floodway Floodfringe
The Base Flood Elevation or depth number at the development site is:

Source Documents 1978 FEMA

Plan Review

MSL Elevation or depth number to which the structure is to be elevated 100.3 ft.
MSL Elevation or depth number to which the structure is to be floodproofed ft.

SIGNATURE

NAME Bruce T. Butler

TITLE Surveyor

ADDRESS P.O. Box 478 Hailey



DATE

The following is to be completed by the community permit official. All necessary information and certificates are attached.

- Action
The proposed development is not in conformance with applicable Floodplain Management Standards (explanation attached). Permit is denied.
The proposal is not in conformance with applicable Floodplain Management Standards (explanation attached) and the application is referred to the Board of Adjustment for variance action.
I have reviewed the plans and materials submitted in support of the proposed development and find them in compliance with applicable Floodplain Management Standards. Permit is approved.

Date Signature

Building construction documentation
The certified as-built MSL elevation of the lowest floor of the structure is ft.
The certified as-built MSL floodproofed elevation of the structure is ft.
Certificates of a registered professional engineer or land surveyor documenting these elevations are attached.

Certificates of Occupancy or Compliance, if applicable

Signature

CITY OF HAILEY

FLOODPLAIN ELEVATION/FLOOD-PROOFING CERTIFICATION

This Certification must be signed and sealed by a registered professional engineer or ~~surveyor~~

1st Survey:

I hereby certify that the bench mark set on property identified as
T. _____ S, T. _____ W, W.M., Section _____, Tax Lot
_____ is at an elevation of _____ feet, NGVD (Mean Sea Level)

Subdivision Northridge

Lot 5 Block 5 Plat _____

Describe bench mark and its location: TOP NUT FIRE HYDRANT

South West Cor Lot 5, Blk 5 Northridge

Subdivision Assumed Elevation: 100'


SIGNATURE Richard W. Wajtkowski SEAL

NAME Richard Wajtkowski

TITLE Land Surveyor

ADDRESS Box 478 Hailey

DATE 1-25-89



This certification must be filed with the Hailey Building Department at the time of building permit application.

CITY OF HAILEY

POST CONSTRUCTION ELEVATION CERTIFICATE

Community No. 160022

2nd. Survey:

IMPORTANT

This form must be completed and returned to the City of Hailey Building Department prior to obtaining a framing inspection

SECTION I

The elevation certification must be completed by a registered professional engineer.

Property Description:

Subdivision Northridge Lot 5 Block 5 Plat _____
FIA Map Panel on which property is located 165167 0662A
FIA Map Zone in which property is located A
Base Flood Elevation at the proposed site 99 3
Required minimum elevation of lowest floor 100 3
NAME _____ DATE _____

ELEVATION CERTIFICATION

I certify that the building at the property location described above has the lowest floor at an elevation of 100 3 feet, NGBD (Mean Seal Level).

CERTIFIER'S NAME Bruce T. Butler AFFIX SEAL OR STAMP



TITLE Surveyor

ADDRESS PO Box 478

SIGNATURE [Signature]

DATE 3-30-92

PLAN VIEW



Scale 1" = 20' Horz.
1" = 2' Vert.

FLOOD CERT.
LOT 5 BLOCK 5 NORTHRIDGE
HAILEY, IDAHO
FOR
BRAD MINOR
7-26-90

